

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

INFRASTRUCTURE DETAILS

This Annexure to be verify at time of inspection by assessors

ALL SUPPORTING DOCUMENT POINT WISE IN CLEAR VISBLE MUST BE UPLOAD ON WEB SITE

Sr. No.	Particulars to be verified	Details on College Website	Adequate/ Inadequate
	College		
1	(All document must be available on web site) Land details: Total land, owner, unitary or not, NA of all land, 7/12 extracts of all land (Applicable only to Private Colleges). (Verify land documents & Government permissions documents are uploaded on College Website. No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).	Yes/No	Adequate
2	Total constructed area of college building Attached Completion Certificate with Map		
	(I) Administrative Section: Total Area: 1000 sq.ft (which includes) Principal Room, P.A. Room, Reception cum Visitors lounge, Meeting hall, Account section, Record and Central store etc.	Yes/No	Inadequate
	(II) Lecture Halls: a) Total No. of Lecture Halls 04 b) IT enabled, Audio / Video teaching Aids c) Total area for lecture Halls	Yes/No	Inadequate
	(III) Seminar or Conference or Examination Hall for nursing : a) Total Area : 1760 Sq.ft. b) Total Seating Capacity : 300 c) Audio / Video System and Other Facilities : Available	Yes/No	Adequate
	(IV) Library:- (Evidences to be attached) a) Total Area : 1760 sq.ft. Total No. of Books : 307 Distribution of books : 70 Capacity of Reading Hall :-for Students : 100 for Teachers : 15 No. of Scientific Journals : 04 .No. of News Papers/Research Journals : 2 Photo Copier Machine : 01 . Drinking water & Washrooms : b) Digital Library : No. of Computers : 05 Internet Facility : Yes . Speed:- 500MBPS	Yes/No	Adequate
	(V) Teaching Departments: There shall be Five Teaching Departments as per MSR No. of departments : 6 Departmental Area, No. of Books/ Charts / Models / Specimens (dry and wet) / Museum in each department information to be uploaded on college website.	Yes/No	
	(VI) Laboratories :- Laboratories : As per MSR (1600 Sq.ft.) Nursing Foundation and Medical Surgical Nursing Lab (1500 Sq.ft.), CHN (900 Sq.ft.), Nutrition (900Sq.ft.), OBG and Paediatric (900Sq.ft.), Pre-Clinical Science (900Sq.ft.), Advanced Nursing Skill Lab (900Sq.ft.), Computer Lab (1500Sq.ft.), with 1:5 computer as per Intake capacity, AV Aids, well Equipped Lab must have Mannequins, Articles & Beds as per MSR & INC Norms	Yes/No	Inadequate
	(VII) Auditorium:- (As per MSR) Auditorium should be spacious enough to accommodate at least double the sanctioned/actual strength of students, so that it can be utilized for	Yes.	Adequate

Chairman of LIC

Member Of LIC

Member Of LIC

hosting functions of the college, educational conferences/ workshops, examinations etc. It should have proper stage with green room facilities. It should be well – ventilated and have proper lighting system. There should be arrangements for the use of all kinds of basic and advanced audio-visual aids.	Yes/No	Adequate
OR		
Multipurpose Hall:- College of Nursing should have own multipurpose hall		

	(VIII) Canteen and Kitchen Facility:- attached certificate [Note: Verify Canteen Facility & Hygiene is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes/No	Adequate
	(IX) Common Rooms: Is separate common rooms for boys and girls available (Specify seating capacity)	Yes/No	Adequate
3	University Examination Infrastructure: Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for vehicle, Guest house facility	- Yes	Available
4	Other facilities: Hospital Waste Management, Medical Education Unit, Intercom Network, Playground, P.T Teacher or Instructor Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility	Yes/No	Adequate
5	Hostel facility: Boys (UG & PG), Girls (UG & PG), Interns, Residents, Warden/ Rector, Hygiene, Vending Machine etc.	Yes/No	Adequate
Hospital attach Relevant Document on web site			
6	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital :	Yes/No	
	Address:		
	Telephone No. :		
	Bed Strength :		
	Distance of Hospital from the College to which it is attached (in kms)	-	
	Number of beds registered as per BNH Act (attach certificate on web site)	Yes/No	
7	I. Total constructed area of Hospital Building as per MSR attach completion certificate and blue print (.....Sq.mtr. / Sq.ft.) Whether the Hospital is Owned by the College	Yes/No Yes/No	
	II. Hospital Administration Block as per MSR (Superintendent room, Deputy Superintendent room, Medical officers' room, Matron room, Assistant Matron room, Reception and Registration, etc.)	Yes/No	
	III. Out-Patient Departments (OPD) as per MSR Total Area of OPD ComplexSq.ft. No. of OPD's Facilities shall be as per MSR & all details shall be on college website.	Yes/No	
	IV. In Patient Departments (IPD) as per MSR Total Area of IPD ComplexSq.ft. No. of IPD Departments..... Bed Distribution..... Facilities shall be as per MSR & all details shall be on College website.	Yes/No	
	V. Operation Theatres Block as per MSR Total Area of OT Blocksq.ft. No. Of OTs available Facilities shall be as per MSR & all details shall be on college website.	Yes/No	
	VI. Casualty Facilities State Government Permission Letter attach copy on web site	Yes/No	
	VII. Central Clinical Laboratory details (all Relevant information on hospital letter head to be uploaded on web site) Well-equipped with separate sections for Pathology, Biochemistry and Microbiology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be Provided.	Yes/No	

Chairman of LIC

Member Of LIC

Member Of LIC

VIII. Radiology or Sonography Section:- :- (all Relevant information on hospital letter head to be uploaded on web site) Radiologist chamber, X-ray room, Dark room, film drying room, store room, patients waiting and dressing room, reception or registration or report room.	Yes/No	
IX. Labor Room :- Average Deliveries conducted annually/Monthly/ Daily as per Birth record maintained by hospital:- (information to be available on web site)	Yes/No	

BASIC DETAILS ABOUT INFRASTRUCTURE CHECK LIST

PARTICULAR TO BE VERIFY BY ASSESOR	YES / NO	Remark
Certified Copy of Location Of College Building Address by Government authority (Search Report) to be uploaded at website	Yes	
Certified Copy of Location Of Hostel Building Addressed by Government authority (Search Report) to be uploaded on website	Yes	
Is Separate College Building Not Available { Attach resolution of Trust /owner for Area Allocation } to be uploaded on website	Yes	
Is Separate Hostel Building Available { Attach resolution of Trust /owner for Area Allocation} to be uploaded at website	Yes	
Authorized Building Plan approved by Competent Authority to be uploaded at website	Yes	
Availability of Building Completion (College / Hostel) Certificate by Competent Authority to be uploaded at website	Yes	
Lease or Rent Agreement of College if Required to be uploaded at website	Yes	
Provision Of Fire Safety Measure as per standard norms of Government	Yes	
Fire Safety Certificate for College , Hostel And Hospital to be uploaded at website	Yes	
General Student Safety Measures done in Building as per norms	Yes	
Provision for facility Physically Challenged Students	Yes	
OTHER INFRASTRUCTURAL PROVISIONS	YES/NO	REMARK
Playground (Playground should be spacious for outdoor sports like volleyball, football, badminton and for athletics)	Yes	
Provision for Physical Teacher for Student in College And Hostel	Yes	
Garage (Garage should accommodate a 50 seated vehicle)	Yes	
Gymnasium Facility to be uploaded on website	Yes	

Any Other Remarks (Please Specify) :-

Here by I declare all relevant document uploaded are clear and visible on web site are true as per my best knowledge:-

Date:-

Dean/ Principal Stamp & Signature

Kedar Redekar College of Nursing (B.Sc.Nursing)

Maharashtra University of Health Sciences, Nashik

Chairman of LIC

Member Of LIC

Member Of LIC

52



नोंदणी प्रमाणपत्र

संस्था नोंदणी अधिनियम, १८६०

(१८६० चा अधिनियम २१)

नोंदणी क्रमांक

महाराष्ट्र / १८५०० / कोल्हापूर

याद्वारे असे प्रमाणित करण्यात येते की,

ह. केदारी रेडकर शिक्षक संस्था

३३ हिंदू जय - ३३ हिंदू जय, जि. कोल्हापूर

खालील तारखेस संस्था नोंदणी अधिनियम, १८६० (सन १८६० चा अधिनियम २१) अन्वये योग्यरित्या नोंदणी करण्यात आली.

तारीख

30/4/

१९८६

रोजी माझ्या सहीनिशी दिले.



संस्थाचे सहायक निबंधक

सहाय्यक संस्था निबंधक विभाग
कोल्हापूर शहर, कोल्हापूर

Principal
Kedari Redekar College of
Nursing (B.Sc.Nursing)

Principal
Nursing School

GSTIN : 09BKJPG1133N1Z1

Sales Quotation



FUTURE SMART VISION

RG NO. 552/1, MOJAA KANDWA,, CHITAIPUR CHUNAR VARANASI
CANTT HEAD POST OFFICE ROAD, VARANASI UTTAR PRADESH - 221002
Tel. : 8808038857 email : info@futuresmartvision.in

Party Details :
LATE KEDARI REDEKAR AYURVEDIC MAHAVIDYALAYA
GADHINGLAJ
P-2, M.I.D.C AREA, GADHINGLAJ
DIST:-KOLHAPUR-416502

Quotation No. : 86
Dated : 01-02-2025

GSTIN / UIN :

S.N.	Description of Goods	HSN/SAC Code	Qty.	Unit	Price	IGST Rate	IGST Amount	Amount(`)
1.	GYANMARK DIGITAL PANEL 65"INCH ANDROID 13 8 GB RAM AND 128 GB INTERNAL STORAGE WITH 3 YEAR WARRANTY	84714190	1.00	pcs	88,983.05	18.00 %	16,016.95	1,05,000.00
2.	GYANMARK DIGITAL PANEL 75"INCH ANDROID 13 8 GB RAM AND 128 GB INTERNAL STORAGE WITH 3 YEAR WARRANTY	84714190	1.00	pcs	1,18,644.07	18.00 %	21,355.93	1,40,000.00
3.	GYANMARK DIGITAL PANEL 86"INCH ANDROID 13 8 GB RAM AND 128 GB INTERNAL STORAGE WITH 3 YEAR WARRANTY	84714190	1.00	pcs	1,77,966.10	18.00 %	32,033.90	2,10,000.00
4.	Installation Charges TRANSPORT AND INSTALLATION	995657	3.00	Unit	4,237.29	18.00 %	2,288.14	15,000.00
Less : Discount								4,70,000.00 15,000.00
Grand Total 6.00 Unit								4,55,000.00

Tax Rate	Taxable Amt.	IGST Amt.	Total Tax
18%	3,98,305.08	71,694.92	71,694.92

Rupees Four Lakh Fifty Five Thousand Only

Bank Details : ICICI BANK A/C = 082005003055 IFSC CODE = ICIC0000820
BRANCH = BHADOHI UTTAR PRADESH

For FUTURE SMART VISION
Authorised Signatory



Registration Certificate
Government of Maharashtra
Food And Drug Administration
Food Safety and Standards Authority of India
Registration Certificate under FSS Act, 2006



/ Registration Number: **21524043002736**



- | | |
|--|---|
| 1. Name and permanent address of Food Business Operator (FBO) | Kai. Kedari Redekar Ayurvedic Mahavidyalay Canteen
At Post Kowade Tal-Ajara Dist-Kolhapur ,
Ajara, Kolhapur, Maharashtra-416503 |
| 2. Address of location where food business is to be conducted / premises | P.2 MIDC Area, Shendri Mal, Gadhinglaj
416502, Gadhinglaj, Kolhapur,
Maharashtra - 416502 |
| 3. Kind of Business | Mid-Day meal - Canteen |
| 4. Photo Identity Card | N/A |



This Registration certificate is issued under and is subject to the provisions of FSS Act, 2006 all of which must be complied with by the petty food business.

Place / Kolhapur

Registering Authority

Issued On / 31-08-2024 (Modified Registration)

Valid Upto: 16-08-2029 (For details, refer Annexure)

Annexures:

1. Product Annexure
2. Validity Annexure
3. Registration Id Card

Note:

1. Application for renewal of Registration Certificate can be filed as early as 180 days prior to expiry date of Registration Certificate. You can file application for renewal or modification of Registration Certificate by login into FSSAI's Food Safety Compliance System(<https://foscoss.fssai.gov.in>) with your user id and password or call us at 1800112100 for any clarification.
2. This Registration Certificate is only to commence or carry on food businesses and not for any other purpose.
3. This is computer generated Registration Certificate and doesn't require any signature or stamp by authority.
4. This Registration Certificate is allowed to conduct food businesses activities having annual turnover upto Rs. 12 Lacs only.

Product Annexure



Registration Certificate
Government of Maharashtra
Food And Drug Administration
Food Safety and Standards Authority of India
Registration Certificate under FSS Act, 2006



/ Registration Number: **21524043002736**
Detail(s) of Food Item

[Note: Only standardised food products are allowed to be manufactured as per the list available on FoSCoS.]

Other than Manufacturer Unit	
Sl. No	Name of the food category
1	08 - Meat and meat products, including poultry and game
2	01 - Dairy products and analogues, excluding products of food category 2.0
3	04 - Fruits and vegetables (including mushrooms and fungi, roots and tubers, fresh pulses and legumes, and aloe vera), seaweeds, and nuts and seeds
4	10 - Eggs and egg products
5	07 - Bakery products

Validation And Renewal Annexure



Registration Certificate
Government of Maharashtra
Food And Drug Administration
Food Safety and Standards Authority of India
Registration Certificate under FSS Act, 2006



/ Registration Number: 21524043002736

Validity From	Validity Upto	Issued On	Fee Paid	Type
17-08-2024	16-08-2029	17-08-2024	500 INR	New
17-08-2024	16-08-2029	31-08-2024	100 INR	Modification

Suspension History

S.No	History	Date
N/A		


Current Status of Registration: Registration Certificate issued

Note:

1. Application for renewal of Registration Certificate can be filed as early as 180 days prior to expiry date of Registration Certificate. You can file application for renewal or modification of Registration Certificate by login into FSSAI's Food Safety Compliance System(<https://foscoc.fssai.gov.in>) with your user id and password or call us at 1800112100 for any clarification.

Registration ID Card

Registration ID Card		
	Registration ID: 21524043002736	
	Valid Upto: 16-08-2029	
	Name: Kai. Kedari Redekar Ayurvedic Mahavidyalay Canteen	
	Address: P.2 MIDC Area, Shendri Mal, Gadhinglaj 416502, Gadhinglaj, Kolhapur, Maharashtra - 416502	
	KOB: Mid-Day meal - Canteen	
	Govt ID Card: N/A	
Issuing Authority: Kolhapur		Issued On: 31-08-2024
[Disclaimer: This Registration ID card is issued only for the provisions laid down under Food Safety and Standards Act, 2006 and hence, shall not be used for any other purpose.]		



Registration Certificate
Government of Maharashtra
Food And Drug Administration
Food Safety and Standards Authority of India
Registration Certificate under FSS Act, 2006



/ Registration Number: **21525043000260**



1. Name and permanent address of Food Business Operator (FBO) RAHUL BHIKAJI BHALEKAR C/O HOTEL ANANT KRUPA CANTEEN SERVICE BHOGULKAR NAGAR, GAVASE, KOLHAPUR , Gadhinglaj, Kolhapur, Maharashtra-416502
2. Address of location where food business is to be conducted / premises KAI. KEDARI REDEKAR HOSPITAL, SHENDRI MAL, SHENDRI, GADHINGLAJ, KOLHAPUR, Gadhinglaj, Kolhapur, Maharashtra - 416502
3. Kind of Business Food Vending Agencies
4. Photo Identity Card Aadhaar



This Registration certificate is issued under and is subject to the provisions of FSS Act, 2006 all of which must be complied with by the petty food business.

Place / Kolhapur

Issued On / 21-01-2025 (New Registration)

Valid Upto: 20-01-2026 (For details, refer Annexure)

Registering Authority

(Tatkal Registration Certificate)

Annexures:

1. Product Annexure
2. Validity Annexure
3. Registration Id Card

Disclaimer :

1. This is an instantly issued registration certificate on the basis of self- declaration made by the applicant. Any false declaration shall attract penalty up to Rs. 10 lakhs under Section 61 of the FSS Act, 2006.
2. This registration copy shall not be used to claim ownership of the premise.
3. Jurisdictional Designated Officer / Registration Authority / Food Safety Officer shall have all the powers as laid down under FSS Act, 2006, Rules and Regulations made thereunder to conduct any enforcement activity in their jurisdiction to enforce the provisions of Food Safety against these instantly issued Registration Certificate.

Note:

1. Application for renewal of Registration Certificate can be filed as early as 180 days prior to expiry date of Registration Certificate. You can file application for renewal or modification of Registration Certificate by login into FSSAI's Food Safety Compliance System(<https://foscoc.fssai.gov.in>) with your

user id and password or call us at 1800112100 for any clarification.

2. **This Registration Certificate is only to commence or carry on food businesses and not for any other purpose.**
3. **This is computer generated Registration Certificate and doesn't require any signature or stamp by authority.**
4. **This Registration Certificate is allowed to conduct food businesses activities having annual turnover upto Rs. 12 Lacs only.**

Product Annexure



Registration Certificate
Government of Maharashtra
Food And Drug Administration
Food Safety and Standards Authority of India
Registration Certificate under FSS Act, 2006




/ Registration Number: **21525043000260**

Detail(s) of Food Item

[**Note:** Only standardised food products are allowed to be manufactured as per the list available on FoSCoS.]

Other than Manufacturer Unit	
Sl. No	Name of the food category
1	16 - Prepared Foods
2	14 - Beverages, excluding dairy products
3	18- Indian Sweets and Indian Snacks & Savouries products

Validation And Renewal Annexure



Registration Certificate
Government of Maharashtra
Food And Drug Administration
Food Safety and Standards Authority of India
Registration Certificate under FSS Act, 2006



/ Registration Number: 21525043000260

Validity From	Validity Upto	Issued On	Fee Paid	Type
21-01-2025	20-01-2026	21-01-2025	100 INR	New

Suspension History

S.No	History	Date
N/A		

Current Status of Registration: Registration Certificate issued

Note:

1. Application for renewal of Registration Certificate can be filed as early as 180 days prior to expiry date of Registration Certificate. You can file application for renewal or modification of Registration Certificate by login into FSSAI's Food Safety Compliance System(<https://foscoss.fssai.gov.in>) with your user id and password or call us at 1800112100 for any clarification.

Registration ID Card

Registration ID Card



Registration ID: 21525043000260

Valid Upto: 20-01-2026

Name: RAHUL BHIKAJI
BHALEKAR C/O HOTEL
ANANT KRUPA CANTEEN
SERVICE

Address: KAI. KEDARI REDEKAR
HOSPITAL, SHENDRI
MAL, SHENDRI,
GADHINGLAJ,
KOLHAPUR, Gadhinglaj,
Kolhapur, Maharashtra -
416502

KOB: Food Vending Agencies

Govt ID Card: N/A



Issuing Authority: Kolhapur

Issued On: 21-01-2025

[Disclaimer: This Registration ID card is issued only for the provisions laid down under Food Safety and Standards Act, 2006 and hence, shall not be used for any other purpose.]

hosting functions of the college, educational conferences/ workshops, examinations etc. It should have proper stage with green room facilities. It should be well – ventilated and have proper lighting system. There should be arrangements for the use of all kinds of basic and advanced audio-visual aids.	Yes/No	
OR		
Multipurpose Hall:- College of Nursing should have own multipurpose hall		

	(VIII) Canteen and Kitchen Facility:- attached certificate [Note: Verify Canteen Facility & Hygiene is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes/No	Adequate
	(IX) Common Rooms: Is separate common rooms for boys and girls available (Specify seating capacity)	Yes/No	Adequate
3	University Examination Infrastructure: Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for vehicle, Guest house facility	-	
4	Other facilities: Hospital Waste Management, Medical Education Unit, Intercom Network, Playground, P.T Teacher or Instructor Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility	Yes/No	Adequate
5	Hostel facility: Boys (UG & PG), Girls (UG & PG), Interns, Residents, Warden/ Rector, Hygiene, Vending Machine etc.	Yes/No	Adequate
Hospital attach Relevant Document on web site			
6	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital : <u>Tanai Multispecialist Hospital</u>	Yes/No	
	Address: <u>Sankeshwar Road, Gadhinglaj</u>		
	Telephone No. :		
	Bed Strength : <u>55</u>		
	Distance of Hospital from the College to which it is attached (in kms) <u>03 km</u>	-	
	Number of beds registered as per BNH Act (attach certificate on web site)	Yes/No	
7	I. Total constructed area of Hospital Building as per MSR attach completion certificate and blue print (<u>972</u> Sq.mtr. / Sq.ft.) Whether the Hospital is Owned by the College	Yes/No	
	II. Hospital Administration Block as per MSR (Superintendent room, Deputy Superintendent room, Medical officers' room, Matron room, Assistant Matron room, Reception and Registration, etc.)	Yes/No	
	III. Out–Patient Departments (OPD) as per MSR Total Area of OPD ComplexSq.ft. No. of OPD's <u>04</u> Facilities shall be as per MSR & all details shall be on college website.	Yes/No	
	IV. In Patient Departments (IPD) as per MSR Total Area of IPD ComplexSq.ft. No. of IPD Departments Bed Distribution Facilities shall be as per MSR & all details shall be on College website.	Yes/No	
	V. Operation Theatres Block as per MSR Total Area of OT Blocksq.ft. No. Of OTs available <u>02</u> Facilities shall be as per MSR & all details shall be on college website.	Yes/No	
	VI. Casualty Facilities State Government Permission Letter attach copy on web site	Yes/No	
	VII. Central Clinical Laboratory details (all Relevant information on hospital letter head to be uploaded on web site) Well-equipped with separate sections for Pathology, Biochemistry and Microbiology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be Provided.	Yes/No	

Chairman of LIC

Member Of LIC

Member Of LIC

142 / 2025 ①



2023

CP 638251

142/2025


वेकी नं. ५६४२ किंमत रु. ५०० वेकी रु. ५००
श्री./स्त्री. Principal
Kedari Redekar College of
Nursing (B.Sc. Nursing) जि.

दाखल १९६० संख्या १११६ १६ स्टे. ११/३१/२५ क्रि.पे.०५

श्री. नारायण विठ्ठल देसादे
मुद्रांक विक्रेता, पंचायत समिती समोर, गडहिंग्लज
परवाना क्र. मु.वि.अ. ३७/९९ दि. २३/७/१९९९
कोड नं. २६०६००८

मुद्रांक विक्रेता घणान्याची भरही
कारण विवक्षित नाही

Notary Regi. Sr. No. 142
2025



Memorandum of Understanding (MOU)

Kedari Redekar College of Nursing, Gadhinglaj Party No. 1
Dr. Ranjeet Kadam Party No. 2

Party No. 1 is running Kedari Redekar College of Nursing for B. Sc. Nursing
Gadhinglaj

No. of Corrections
on this page 0

2

Party No. 1 I requesting permission from Party No. 2 about their **55 beded** Hospital PIOS **Janai Multispecialist Hospital, Gadhinglaj** for Clinical & Education Experience to Kedari Redekar College of Nursing Student as a Affiliated Hospital.

Party No. 2 has given permission letter for their **55 beded** Hospital PIOS Kedari Redekar College of Nursing as a Affiliated Hospital.

Dated : 07/02/2025.


MOU Written as above date

College of
Nursing)

1) Mr. Prabhudeva S. K. **Kedari Redekar College of Nursing (B.Sc.Nursing)**
(Principal of Kedari Redekar College of Nursing, Gadhinglaj)



2) Dr. Ranjeet **Janai Multispecialist Hospital, Gadhinglaj**



Witnesses :-

- 1) Pravin Gendur Nareke *Pravin*
- 2) Vitthal Baryay chinde *Vitthal*
Gadhinglaj Tal Gadhinglaj

No.of Corrections
on this page *1*

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0231-2652952
0231-2660448
Fax: 0231-2652952
Website: <http://mpcb.gov.in>
Email: rokolhapur@mpcb.gov.in




Maharashtra Pollution
Control Board, Udyog
Bhavan Building, Near
Collectorate Office,
Kolhapur - 416 002

ORANGE/S.S.I

Date: 21/07/2023

No:- Format1.0/RO/UAN No.0000159976/CE/2307001424

To,
JANAI MULTISPECIALITY HOSPITAL & RESEARCH
CENTER
MARKET YARD SANKESHWAR ROAD GADHINGLAJ
TAL. GADHINGLAJ, DIST. KOLHAPUR-416502
Email: ranjitektadam96@gmail.com
Contact No.:9595353549



Grant consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization dated 19/04/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The Combine Consent to Establish for BMW Authorization is granted for a period up to: 31.03.2028

2. The capital investment of the HCF is ₹19.50 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 972.00 M² with Built-up area 916.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **45 Nos.** 505 2022
 - I. General Beds : **39 Nos**
 - II. ICCU/ICU Beds : **5 Nos**
 - III. Operation Theatre : **1 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 5 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act,1981:-**
 1. You shall use the fuel for DG set as specified in the **Annexure-II**.
 2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
 3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.
7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDf and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					
8. **Conditions under Solid Waste Management rules 2016**
 1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
 2. You shall Not mix general solid waste with Bio Medical Waste.
9. **Conditions under BMW Management rules, 2016 (As Amended):-**
 1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **S.S. Services, Ichalkaranji** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1500.00	TXN2301003455	20/01/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	5.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	4	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	D. G. Set (25 KVA)	Diesel	10.00 Lit/Day	3.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	0.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S.S. Services, Ichalkaranji Ichalkaranji
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	0.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	0.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S.S. Services, Ichalkaranji Ichalkaranji
3	White (Translucent)	Waste sharps including Metals	0.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S.S. Services, Ichalkaranji Ichalkaranji
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S.S. Services, Ichalkaranji Ichalkaranji
		b) Metallic body implants	0.00		

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S.S. Services, Ichalkaranji** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
Total			1,00,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Ko'hapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



महाराष्ट्र शासन

जिल्हा शल्यचिकित्सक, कोल्हापूर

(सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ॲक्टचा कलम ५ अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट)

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ॲक्ट, १९४९ अन्वये

नोंदणी प्रमाणपत्र

डॉ. श्री./श्रीमती रजित वि. कदम यांचे

जर्नाई मल्टिस्पेशलिटी हॉस्पिटल व रिसर्च सेंटर
गडहिंग्लज

येथील हॉस्पिटल/नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे हॉस्पिटल/नर्सिंग

होम/मॅटर्निटी होम चालविण्यास परवाना देणेत येत आहे. ☒ /पुर्ननोदणीस मान्यता देणेत

येत आहे. ☒

रजिस्ट्रेशन क्रमांक : ५०५/२०२२/गडहिंग्लज प्रसूतीसाठी कॉटस् : १०

रजिस्ट्रेशन दिनांक : १९/०५/२०२२ इतर रुग्णांसाठी कॉटस् : ४५

ठिकाण : कोल्हापूर

एकूण कॉटस् : ५५

सर्टिफिकेट दिल्याचा दिनांक : २३/६/२०२२

सदरचे सर्टिफिकेट दिनांक : ३१/०३/२०२५ पर्यंत कार्यवाहीत राहील.



(Signature)


जिल्हा शल्यचिकित्सक,
छत्रपती प्रमिलाराजे सर्वोपचार
रुग्णालय, कोल्हापूर.



JANAI Multispeciality Hospital & Research Center

Sr. No.	Ward	No. of Bed's
1	Casualty	4
2	Ward Room	14
3	ICU	13
5	Semi Speical Room	14
6	Speical Room	6
7	Delux Room	4
Total		55


9284696506. →



कोल्हापूर महानगरपालिका

पोस्ट बॉक्स नं. ३३, पिन कोड नं. - ४१६ ००२.

फोन नं.-पी.बी.एक्स. बोर्ड २५४०२९१ ते २५४०२९८



जावक क्र.- अग्निशमन विभाग / वशि-१/ ११८/२०२४-२५

दि.-२४/०६/२०२४

प्रति,

डॉ. रणजित कदम,

गडहिंग्लज, जि. कोल्हापूर

विषय :- डॉ. रणजित कदम, संकेश्वर रोड, गडहिंग्लज, ता. गडहिंग्लज, जि. कोल्हापूर यांचे जनाई मल्टीस्पेशलीटी हॉस्पिटल अँड रिसर्च सेंटर ५५ ब्रेड करीता अग्निशमन विभागाचा ना-हरकत दाखला बाबत...

संदर्भ :- १. संचालक, महाराष्ट्र अग्निशमन सेवा संचालनालय यांचा आदेश दि. २९/०१/२०२१

२. दीप फायर सेफ्टी सर्विसेस यांचा दि. १७/०६/२०२४ चा बी फॉर्म लायसन

नं. MFS-LA/RF-379

उपरोक्त विषयांकीत कामी संदर्भित पत्रान्वये डॉ. रणजित कदम, संकेश्वर रोड, गडहिंग्लज, ता. गडहिंग्लज, जि. कोल्हापूर यांचे जनाई मल्टीस्पेशलीटी हॉस्पिटल अँड रिसर्च सेंटर ५५ ब्रेड करीता मध्ये बसविणेत आलेल्या अग्निप्रतिबंधक सुविधा दुरुस्त आणि कार्यक्षम स्थितीत असलेबाबत अग्निशमन विभागाचा ना-हरकत दाखला मागणी केलेला आहे.

उपरोक्त ठिकाणी संचालक, महाराष्ट्र राज्य अग्निशमन सेवा संचालनालय यांनी दिलेल्या आदेशाने महाराष्ट्र आग प्रतिबंधक व जीव संरक्षक उपाययोजना २००६ भाग ४ नुसार आपल्या हॉस्पिटल मध्ये बसविण्यात आलेली अग्निशमन सुविधांची कोल्हापूर महानगरपालिका अग्निशमन विभागाने तपासणी केली असून दीप फायर सेफ्टी सर्विसेस यांचा दि. १७/०६/२०२४ चा बी फॉर्म लायसन नं. MFS-LA/RF-379 प्रमाणे १.) ए.बी.सी-०६ अँड सी.ओ.टू २ नग २) पंप- ४५० एल.पी.एम. ३) होजरील -३ नग, हायड्रंट व्हॅल्व-०३ नग, होज बॉक्स अँड पाईप- ०१, ब्रांच पाईप ४) फायर इनलेट टु वे -१, ५) आलार्म सिस्टीम-०१, हूटर-०१ नग, बसवलेली आहे. सदर यंत्रणा आज मितीला कार्यक्षम व सुस्थितीत असले बाबत नमुद केले असल्याने त्यांना इकडील विभागा कडून ना-हरकत दाखला देण्यात येत आहे. सदरचा दाखला हा केवळ मुंबई शुश्रूषा गृह नोंदणी साठी वापरण्याचा आहे.

महाराष्ट्र आग प्रतिबंधक व जीव संरक्षक उपाययोजना २००६ भाग ४ मधील कलम ३ (पाठ कलम ३) नुसार सदरची यंत्रणा सुस्थितीत व कार्यसत असले बाबत मान्यताप्राप्त लायसन एजन्सी यांचा बी फॉर्म वर्षातून दोन वेळा म्हणजे जानेवारी व जुलै महिन्यात सादर करण्याचा आहे अन्यथा सदरचा ना-हरकत दाखला रद्द समजण्यात येईल. सदरचा दाखला एक वर्षाचे मुदतीकरिता देण्यात येत आहे. ५५ ब्रेड हॉस्पिटल परगाना नुतनीकरणकामी आग सुरक्षा निधी GD 2002133202402243 रक्कम ७,२६०/- रुपये दिनांक १९/०६/२०२४ रोजी भरण्यात आले आहे.

मुख्य अग्निशमन अधिकारी
कोल्हापूर महानगरपालिका

hosting functions of the college, educational conferences/ workshops, examinations etc. It should have proper stage with green room facilities. It should be well – ventilated and have proper lighting system. There should be arrangements for the use of all kinds of basic and advanced audio-visual aids.	Yes/No	
OR		
Multipurpose Hall:- College of Nursing should have own multipurpose hall		

	(VIII) Canteen and Kitchen Facility:- attached certificate [Note: Verify Canteen Facility & Hygiene is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes/No	Adequate
	(IX) Common Rooms: Is separate common rooms for boys and girls available (Specify seating capacity)	Yes/No	Adequate
3	University Examination Infrastructure: Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for vehicle, Guest house facility		
4	Other facilities: Hospital Waste Management, Medical Education Unit, Intercom Network, Playground, P.T Teacher or Instructor Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility	Yes/No	Adequate
5	Hostel facility: Boys (UG & PG), Girls (UG & PG), Interns, Residents, Warden/ Rector, Hygiene, Vending Machine etc.	Yes/No	Adequate
Hospital attach Relevant Document on web site			
6	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital : <u>Kesarkar Hospital</u>	Yes/No	
	Address: <u>A/P- Gadhingraj Dist. Kolhapur</u>		
	Telephone No. :		
	Bed Strength : <u>30</u>		
	Distance of Hospital from the College to which it is attached (in kms) <u>03 km</u>	-	
	Number of beds registered as per BNH Act (attach certificate on web site)	Yes/No	
7	I. Total constructed area of Hospital Building as per MSR attach completion certificate and blue print (<u>5600</u> Sq.mtr. / Sq.ft.) Whether the Hospital is Owned by the College	Yes/No	
	II. Hospital Administration Block as per MSR (Superintendent room, Deputy Superintendent room, Medical officers' room, Matron room, Assistant Matron room, Reception and Registration, etc.)	Yes/No	
	III. Out-Patient Departments (OPD) as per MSR Total Area of OPD ComplexSq.ft. No. of OPD's <u>01</u> ... Facilities shall be as per MSR & all details shall be on college website.	Yes/No	
	IV. In Patient Departments (IPD) as per MSR Total Area of IPD ComplexSq.ft. No. of IPD Departments <u>03</u> . Bed Distribution..... Facilities shall be as per MSR & all details shall be on College website.	Yes/No	
	V. Operation Theatres Block as per MSR Total Area of OT Blocksq.ft. No. Of OTs available <u>01</u> Facilities shall be as per MSR & all details shall be on college website.	Yes/No	
	VI. Casualty Facilities State Government Permission Letter attach copy on web site	Yes/No	
	VII. Central Clinical Laboratory details (all Relevant information on hospital letter head to be uploaded on web site) Well-equipped with separate sections for Pathology, Biochemistry and Microbiology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be Provided.	Yes/No	

Chairman of LIC

Member Of LIC

Member Of LIC

144/2025 (U)



महाराष्ट्र MAHARASHTRA


2023

01/21/2025

CP 638253




विक्री नं. ५६४४
किंमत रु. ५००
श्री./सौ. Principal
Kedari Redekar College of
Nursing (B.Sc. Nursing)



मुद्रांक विवेका घेणान्याची आहे
कारण

श्री. नारायण देवचंद येतादे
मुद्रांक विवेका, पंचायत समिती सवार, गडहिंगलज
परवाना क्र. मु.वि.अ. ३७/९९ दि. २३/०७/१९९९
कोड नं. २६०६००८

Notary Regi. No. 144/2025



Memorandum of Understanding (MOU)

Kedari Redekar College of Nursing, Gadhinglaj

Party No. 1

Dr. Pravin Kesarkar

Party No. 2

Party No. 1 is running Kedari Redekar College of Nursing for B. Sc. Nursing Gadhinglaj

No. of Corrections on this page

2

Party No. 1 I requesting permission from Party No. 2 about their **30 bedded** Hospital PIOS **Kesarkar Hospital, Gadhinglaj** for Clinical & Education Experience to Kedari Redekar College of Nursing Student as a Affiliated Hospital.

Party No. 2 has given permission letter for their **30 bedded** Hospital PIOS Kedari Redekar College of Nursing as a Affiliated Hospital.

Dated : 07/02/2025.

MOU Written as above date

Kedari Redekar College of Nursing (B.Sc.Nursing)

1) Mr. Prabhudeva S. K.
(Principal of Kedari Redekar College of Nursing, Gadhinglaj)



Pravin

2) Dr. Pravin Kesarkar
Kesarkar Hospital, Gadhinglaj



Witnesses :-

1) Pravin Gendy Narake

2) Vitthal Bangay Shinde
of Gadhinglaj Tal Gadhinglaj

No. of Corrections
on this page



महाराष्ट्र शासन

जिल्हा शल्यचिकित्सक, कोल्हापूर

(सन १९४९ च्या दि. २०/११/१९४९ रजिस्ट्रेशन अंतर्गत कलम ५ अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट)

दि. १०/०३/२०२३ रजिस्ट्रेशन अंतर्गत, १९४९ अन्वये

नोंदणी प्रमाणपत्र

डॉ. श्री./श्रीमती प्रविण सं. केसरकर

याचे

केसरकर हॉस्पिटल, गडहिंग्लज

येथील हॉस्पिटल/नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे हॉस्पिटल/नर्सिंग होम/मॅटर्निटी होम चालविण्यास परवाना देणेत येत आहे. ☒ /पुनर्नोंदणीस मान्यता देणेत येत आहे. ☒

रजिस्ट्रेशन क्रमांक २६६/२०२३/गडहिंग्लज प्रसूतीसाठी कॉट्स : ००

रजिस्ट्रेशन दिनांक ३०/०५/२०२२ इतर रुग्णांसाठी कॉट्स : ३०


ठिकाण कोल्हापूर एकूण कॉट्स : ३०

सर्टिफिकेट दिल्याचा दिनांक : ११/०७/२०२३

सदरचे सर्टिफिकेट दिनांक : ३१/०३/२०२६ पर्यंत कार्यवाहीत राहील.



बेटी बचाओ
save the girl child



जिल्हा शल्यचिकित्सक,
छत्रपती प्रमिलाराजे सर्वोपचार
रुग्णालय, कोल्हापूर.



MAHARASHTRA MEDICAL COUNCIL, MUMBAI

(Established by Government of Maharashtra Under MMC Act, 1965)

Address:- 189/A, ANAND COMPLEX,
1ST FLOOR,
SANE GURUJI MARG, ARTHUR ROAD
NAKA,
CHINCHPOKALI (W), MUMBAI - 400
011.

Contact Details:
Tel. No.: 022-2300 7650
Website :
www.maharashtramedicalcouncil.in
Email Id:
maharashtramecouncil@gmail.com

No : MMC/RENEW/2007041194/202250681

Date :
17/06/2022

To,
Dr. KESARKAR PRAVIN SAMBHAJI
AT POST- KAULAGE, TAL-
GADHINGLAJ, DIST-KOLHAPUR, -
416526 ,
MAHARASHTRA .

Sub : Renewal of Registration No : 2007041194
Ref: Your Application date : 28/05/2022

Sir

I have to inform you that your name has been continued up to
27 Apr 2027 on the medical register of this Council, maintained
under the provision of Maharashtra Medical Council Act 1965.

It is stated that the Medical Graduates / Practitioners
registered with this Council will be required to approach this



कोल्हापूर महानगरपालिका

पोस्ट बॉक्स नं. ३३, पिन कोड नं. - ४१६ ००२.
फोन नं.-पी.बी.एक्स. बोर्ड २५४०२९१ ते २५४०२९६



जाचक क्र.- अग्निशमन विभाग / वशि-१/ ३६ /२०२३-२४

दि:-११/०४/२०२३

प्रति,

डॉ. प्रविण एस केसरकर

गडहिंग्लज, जि.कोल्हापूर


विषय :- डॉ. प्रविण एस केसरकर, एस.टी.स्टॅण्ड जवळ, गडहिंग्लज, जि.कोल्हापूर यांचे ३० बेड (केसरकर हॉस्पिटल) साठी अग्निशमन विभागाचा ना-हरकत दाखला वाबत...

संदर्भ :- १. संचालक, महाराष्ट्र अग्निशमन सेवा संचालनालय यांचा आदेश दि.२०/०३/२०२३
२. वरद फायर अॅण्ड सेफ्टी सर्विसेस यांचा दि. ११/०४/२०२३ चा ए फॉर्म लायसन नं. MFS- LA/RF-595, RD-573

उपरोक्त विषयांकीत कामी संदर्भित पत्रान्वये डॉ. प्रविण एस केसरकर, एस.टी.स्टॅण्ड जवळ, गडहिंग्लज, जि.कोल्हापूर यांचे ३० बेड (केसरकर हॉस्पिटल) मध्ये बसविणेत आलेल्या अग्निप्रतिबंध सुविधा दुरुस्त आणि कार्यक्षम स्थितीत असलेबाबत अग्निशमन विभागाचा ना-हरकत दाखला मागणी केलेला आहे.

उपरोक्त ठिकाणी संचालक, महाराष्ट्र राज्य अग्निशमन सेवा संचालनालय यांनी दिलेल्या आदेशाने महाराष्ट्र आग प्रतिबंधक व जीव संरक्षक उपाययोजना २००६ भाग ४ नुसार आपल्या हॉस्पिटल मध्ये बसवण्यात आलेली अग्निशमन सुविधांची कोल्हापूर महानगरपालिका अग्निशमन विभागाने तपासणी केली असून वरद फायर अॅण्ड सेफ्टी सर्विसेस यांचा दि. ११/०४/२०२३ चा ए फॉर्म लायसन नं. MFS- LA/RF-595, RD-573 प्रमाणे १.) ए.बी.सी (६ केजी-४ नग,) २) पंप-३ एच.पी , ३) होजरील -२ नग, ४) फायर इनलेट टु वे -१ नग, ५) हायड्रंट व्हॉल्व - २ नग, ६) होज पाईप, ७) स्मोक डिटेक्टर-आलार्म पॅनल -१ बसवलेली आहे. सदर यंत्रणा आज मितीला कार्यक्षम व सुस्थितीत असले बाबत नमुद केले असल्याने त्यांना इकडील विभागा कडून ना-हरकत दाखला देण्यात येत आहे. सदरचा दाखला हा केवळ मुंबई शुश्रूषा गृह नोंदणी साठी वापरण्याचा आहे.

महाराष्ट्र आग प्रतिबंधक व जीव संरक्षक उपाययोजना २००६ भाग ४ मधिल कलम ३ (पोट कलम ३) नुसार सदरची यंत्रणा सुस्थितीत व कार्यसम असले बाबत मान्यताप्राप्त लायसन एजन्सी यांचा बी फॉर्म वर्षातून दोन वेळा म्हणजे जानेवारी व जुलै महीन्यात सादर करण्याचा आहे अन्यथा सदरचा ना-हरकत दाखला रद्द समजण्यात येईल.


मुख्य अग्निशमन अधिकारी
कोल्हापूर महानगरपालिका




S S SERVICES


GAT NO. 638, C.S. NO. 17695, NEAR NEW SANGET NAKA, TAKAWADI ROAD, NEAR
S.T.P. COMPOUND, ICHALKARANJI 416115 Maharashtra, India
Phone: +91-9822997733, +91-9884199888 Email: sangetnaka@ssservices.com
Web: <http://ssservices.com>



Unique Registration No. 102288



Offline QR



Online QR

Registration Certificate

Outward No. : OW/CER/2024-25/0513

Date : 07-Nov-2024

This is to certify that, ~~Kesarkar Hospital, Mauli Prestige, Near Bus Depot, A/P & Td, Gadhinglaj Dist. Kolhapur, 416502~~ is registered with ~~M/s S S SERVICES~~ for management of Bio Medical waste in accordance with, the provision of Bio Medical Waste Management rules, 2016 as amended and in compliance with the provisions of CPCB guidelines.

- | | | |
|---|---|--|
| 1 | Authorized Person of HCE
(Name and Designation) | : Dr. Kesarkar Pravin Sambhaji
: Doctor |
| 2 | Bombay Nursing Home Act Registration Details | |
| | a. BNH Registration No | : 296/2023/Gadhinglaj |
| | b. BNH Issue Date | : 11-Jul-2023 |
| | c. Total Number of Beds | : 30 |
| | d. BNH validity (Form 'C') | : 31-Mar-2026 |
| 3 | Common Treatment Facility Registration Details | |
| | a. Date of Registration | : 01-Apr-2015 |
| | b. No. of Beds Registered | : 30 |
| | c. Issue Date | : 01-Apr-2024 |
| | d. Registration Validity | : 31-Mar-2025 |
| 4 | Renewal of CTF Membership (if applicable) | |
| | a. Renewal Date | : 31-Mar-2025 |
| | b. No. of Beds | : 30 |
| 5 | MPCB Consents (Establish/ 1 st Operator/Renewal Details) | |
| | a. Consent / CCA Number | : MPCB-CONSENT-0000155993 |
| | b. Issue Date | : 31-Dec-2022 |
| | c. Validity upto | : N/A |



Authorized Signature

Name : Kishor Pawar/Abhaykumar Bimale
Designation : Partner

Note: HCF shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

hosting functions of the college, educational conferences/ workshops, examinations etc. It should have proper stage with green room facilities. It should be well – ventilated and have proper lighting system. There should be arrangements for the use of all kinds of basic and advanced audio-visual aids.	Yes/No	
OR		
Multipurpose Hall:- College of Nursing should have own multipurpose hall		

	(VIII) Canteen and Kitchen Facility:- attached certificate [Note: Verify Canteen Facility & Hygiene is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes/No	Adequate
	(IX) Common Rooms: Is separate common rooms for boys and girls available (Specify seating capacity)	Yes/No	Adequate
3	University Examination Infrastructure: Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for vehicle, Guest house facility	-	
4	Other facilities: Hospital Waste Management, Medical Education Unit, Intercom Network, Playground, P.T Teacher or Instructor Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility	Yes/No	Adequate
5	Hostel facility: Boys (UG & PG), Girls (UG & PG), Interns, Residents, Warden/ Rector, Hygiene, Vending Machine etc.	Yes/No	Adequate
Hospital attach Relevant Document on web site			
6	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital : Bhayani Maternity & Surgical ICU	Yes/No	
	Address: Market Yard, Gadhinglaj		
	Telephone No. :		
	Bed Strength : 30		
	Distance of Hospital from the College to which it is attached (in kms) 03 Km	-	
	Number of beds registered as per BNH Act (attach certificate on web site)	Yes/No	
7	I. Total constructed area of Hospital Building as per MSR attach completion certificate and blue print (4200 Sq.mtr. / Sq.ft.) Whether the Hospital is Owned by the College	Yes/No Yes/No	
	II. Hospital Administration Block as per MSR (Superintendent room, Deputy Superintendent room, Medical officers' room, Matron room, Assistant Matron room, Reception and Registration, etc.)	Yes/No	
	III. Out–Patient Departments (OPD) as per MSR Total Area of OPD ComplexSq.ft. No. of OPD's .02 Facilities shall be as per MSR & all details shall be on college website.	Yes/No	
	IV. In Patient Departments (IPD) as per MSR Total Area of IPD ComplexSq.ft. No. of IPD Departments..... Bed Distribution..... Facilities shall be as per MSR & all details shall be on College website.	Yes/No	
	V. Operation Theatres Block as per MSR Total Area of OT Blocksq.ft. No. Of OTs available01 Facilities shall be as per MSR & all details shall be on college website.	Yes/No	
	VI. Casualty Facilities State Government Permission Letter attach copy on web site	Yes/No	
	VII. Central Clinical Laboratory details (all Relevant information on hospital letter head to be uploaded on web site) Well-equipped with separate sections for Pathology, Biochemistry and Microbiology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be Provided.	Yes/No	

Chairman of LIC

Member Of LIC

Member Of LIC

145/2025 (1)



महाराष्ट्र MAHARASHTRA

2023

01/21/2024

CP 638254



क्रि. नं. १६४५ किंमत रु. ५०० पेकी रु. ५००६

श्री./सौ. --- Principal
Kedari Redekar College of

रा. --- Nursing (B.Sc. Nursing)

श्री. नारायण यशवंत येसादे

मुद्रांक विक्रेता, पंचायत समिती समोर, गडहिंगलज

परवाना क्र. मु.वि.अ. ३७/९९ दि. २३/७/१९९९

कोड नं. २६०६००८

श्री. नारायण यशवंत येसादे

मुद्रांक विक्रेता, पंचायत समिती समोर, गडहिंगलज

परवाना क्र. मु.वि.अ. ३७/९९ दि. २३/७/१९९९

कोड नं. २६०६००८

श्री. नारायण यशवंत येसादे

मुद्रांक विक्रेता, पंचायत समिती समोर, गडहिंगलज

परवाना क्र. मु.वि.अ. ३७/९९ दि. २३/७/१९९९

कोड नं. २६०६००८

श्री. नारायण यशवंत येसादे

मुद्रांक विक्रेता, पंचायत समिती समोर, गडहिंगलज

परवाना क्र. मु.वि.अ. ३७/९९ दि. २३/७/१९९९

कोड नं. २६०६००८

श्री. नारायण यशवंत येसादे

मुद्रांक विक्रेता, पंचायत समिती समोर, गडहिंगलज

परवाना क्र. मु.वि.अ. ३७/९९ दि. २३/७/१९९९

कोड नं. २६०६००८

श्री. नारायण यशवंत येसादे

मुद्रांक विक्रेता, पंचायत समिती समोर, गडहिंगलज

परवाना क्र. मु.वि.अ. ३७/९९ दि. २३/७/१९९९

कोड नं. २६०६००८

श्री. नारायण यशवंत येसादे

मुद्रांक विक्रेता, पंचायत समिती समोर, गडहिंगलज

परवाना क्र. मु.वि.अ. ३७/९९ दि. २३/७/१९९९

कोड नं. २६०६००८

श्री. नारायण यशवंत येसादे

मुद्रांक विक्रेता, पंचायत समिती समोर, गडहिंगलज

परवाना क्र. मु.वि.अ. ३७/९९ दि. २३/७/१९९९

कोड नं. २६०६००८

श्री. नारायण यशवंत येसादे

मुद्रांक विक्रेता, पंचायत समिती समोर, गडहिंगलज

परवाना क्र. मु.वि.अ. ३७/९९ दि. २३/७/१९९९

कोड नं. २६०६००८

मुद्रांक विक्रेता देणान्याची राई
काय. १/१०/२०२४

Notary Regl. Sr. No. 145
2025



Memorandum of Understanding (MOU)

Kedari Redekar College of Nursing, Gadhinglaj

Party No. 1

Dr. Supriya Rudrapgol

Party No. 2

Party No. 1 is running Kedari Redekar College of Nursing for B. Sc. Nursing
Gadhinglaj

No. of Corrections
on this page 145

2

Party No. 1 I requesting permission from Party No. 2 about their **20 beded** Hospital PIOS **Bhavani Maternity and Surgical ICU, Gadhinglaj** for Clinical & Education Experience to Kedari Redekar College of Nursing Student as a Affiliated Hospital.

Party No. 2 has given permission letter for their **20 beded** Hospital PIOS Kedari Redekar College of Nursing as a Affiliated Hospital.

Dated : 07/02/2025.

MOU Written as above date

ipal
ar College of
Sc.Nursing)

- 1) Mr. Prabhudeva S. K.
(Principal of Kedari Redekar College of Nursing,
Gadhinglaj)

Principal
Kedari Redekar College of
Nursing (B.Sc.Nursing)



- 2) Dr. Supriya Rudrapgol
Bhavani Maternity and Surgical ICU, Gadhinglaj



Witnesses :-

- 1) Pravin Gendur Narake
2) Vithal Baryu Bhinde.
of Gadhinglaj Tal Gadhinglaj

No. of Corrections
on this page

Nil



महाराष्ट्र शासन

जिल्हा शल्यचिकित्सक, कोल्हापूर

(सु. १५९ या दि. बॉय नॉर्मि होला रजिस्ट्रेशन ठेवण्या बबल ५ अन्वये दिलेले रजिस्ट्रेशन नॉटिफिकेट)

दि. बॉयचे नर्सिंग होमला रजिस्ट्रेशन ऑक्ट. १९४९ अन्वये

नोंदणी प्रमाणपत्र

डॉ. श्री./श्रीमती सुप्रियर रुद्राप्पगेळ यांचे

मदाली मॅटर्निटी अँड सर्जिकल, आर.ए.ए.यु, गडहिंग्लज

पेशील हॉस्पिटल/नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे हॉस्पिटल/नर्सिंग

होम/मॅटर्निटी होम घालविण्यास परवाना देणेत येत आहे. ☒ /पुनर्नोंदणीस मान्यता देणेत

येत आहे. ☒

रजिस्ट्रेशन क्रमांक : २९३/२०२३/गडहिंग्लज प्रसूतीसाठी कॉटर्स : १५


रजिस्ट्रेशन दिनांक : ०१/०४/२०२२ इतर रुग्णांसाठी कॉटर्स : १५

ठिकाण : कोल्हापूर

एकूण कॉटर्स : ३०

सर्टिफिकेट दिल्याचा दिनांक : १५/०२/२०२३

सदरचे सर्टिफिकेट दिनांक : ३१/०३/२०२६ पर्यंत कार्यवाहीत राहील.



जिल्हा शल्यचिकित्सक,
छत्रपती प्रमिलाराने रावोपचार
कमालाय, कोल्हापूर.



Click here
Click here
Click here

Select Unit: All Units Select Plant: All Plants

My Applications

Sr No.	UAN No.	Application Name	Application IIN	Application Date	Amount	Documents
1	MPCB-CONSENT-0000185766	CONSENT	--	27-10-2023	Rs 97500	Documents Payments Download

Environment Statement

No Statements found.

Assessment Order List

No Statements found.



STATE ENVIRONMENT IMPACT
ASSESSMENT AUTHORITY, MAHARASHTRA

Consolidated Statements

No Statements found.

Mass Tree Plantation

To participate MTP drive,Please click on below links:


To add details tree plantation details committed by BHAVANI MATERNITY AND SURGICAL ICU click on the links below

Proposed Plantation Actual Plantation

Mass Tree Plantation Dashboard:

Total Area in Acres Actual area of plantation

A/p. Mhakave, Tal. Kagal,
Dist. Kolhapur - 416 232.
Mob.: 08421863942, 09420189239
E-mail : shivfires@rediffmail.com



SHIV
FIRE SERVICES



Fire Safety Equipments | Sales & Services | Spares

To, Bhavani Maternity & Surgical ICU,
Dr. Supriya Vijay Radkrappagol,
2134, Mahatma Phule Colony,
Market Yard,
Gadhinglaj

Refilled / Serviced : 11 / 05 / 2024
& Tested on

Next Test Due on : 10 / 05 / 2025

No. 1607

TEST CERTIFICATE

As Per Instruction laid down as IS 2179-1990 (code of practice for selection installation and maintenance of portable first aid fire appliance.) We have carried out the job in your premises as under.

Type of Appliances	Capacity	Qty.	Refilling	Servicing	H. P. Testing	Remarks
ABC Type (Sp)	05 kgs	02 No's	02	02	—	OK
Water Co2 Type	—	—	—	—	—	—
Foam Type	—	—	—	—	—	—
Dry Chemical Powder Type	—	—	—	—	—	—
ABC Type (Sp)	06 kgs	04 No's	04	04	—	OK
Carbon DI-oxide Type	4.5 kgs	01 No.	01	01	—	OK
TOTAL	—	07 No's	—	—	—	—

The above Fire Extinguishers are maintained by us as per Indian Standard Code of practice and they are now in perfect working condition.

		For Shiv Fire Services Proprietor
--	--	--

hosting functions of the college, educational conferences/ workshops, examinations etc. It should have proper stage with green room facilities. It should be well – ventilated and have proper lighting system. There should be arrangements for the use of all kinds of basic and advanced audio-visual aids.	Yes/No	
OR		
Multipurpose Hall:- College of Nursing should have own multipurpose hall		

	(VIII) Canteen and Kitchen Facility:- attached certificate [Note: Verify Canteen Facility & Hygiene is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes/No	Adequate
	(IX) Common Rooms: Is separate common rooms for boys and girls available (Specify seating capacity)	Yes/No	Adequate
3	University Examination Infrastructure: Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for vehicle, Guest house facility		
4	Other facilities: Hospital Waste Management, Medical Education Unit, Intercom Network, Playground, P.T Teacher or Instructor Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility	Yes/No	Adequate
5	Hostel facility: Boys (UG & PG), Girls (UG & PG), Interns, Residents, Warden/ Rector, Hygiene, Vending Machine etc.	Yes/No	Adequate
Hospital attach Relevant Document on web site			
6	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital : Kamate Multispeciality Hospital	Yes/No	
	Address: Church road, Gadbingaj, Dist. Kolhapur		
	Telephone No. :		
	Bed Strength : 30		
	Distance of Hospital from the College to which it is attached (in kms) 03 km.		
	Number of beds registered as per BNH Act (attach certificate on web site)	Yes/No	
7	I. Total constructed area of Hospital Building as per MSR attach completion certificate and blue print (.4200.Sq.mtr. / Sq.ft.)	Yes/No	
	Whether the Hospital is Owned by the College	Yes/No	
	II. Hospital Administration Block as per MSR (Superintendent room, Deputy Superintendent room, Medical officers' room, Matron room, Assistant Matron room, Reception and Registration, etc.)	Yes/No	
	III. Out-Patient Departments (OPD) as per MSR Total Area of OPD ComplexSq.ft. No. of OPD's 03.	Yes/No	
	Facilities shall be as per MSR & all details shall be on college website.		
	IV. In Patient Departments (IPD) as per MSR Total Area of IPD ComplexSq.ft. No. of IPD Departments 04 Bed Distribution.....	Yes/No	
	Facilities shall be as per MSR & all details shall be on College website.		
	V. Operation Theatres Block as per MSR Total Area of OT Blocksq.ft. No. Of OTs available ...01.....	Yes/No	
	Facilities shall be as per MSR & all details shall be on college website.		
	VI. Casualty Facilities State Government Permission Letter attach copy on web site	Yes/No	
	VII. Central Clinical Laboratory details (all Relevant information on hospital letter head to be uploaded on web site) Well-equipped with separate sections for Pathology, Biochemistry and Microbiology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be Provided.	Yes/No	

Chairman of LIC

Member Of LIC

Member Of LIC

154/2025

0




महाराष्ट्र MAHARASHTRA

© 2023 ©

CP 811546

जोडपत्र - १	जोडपत्र - २
मु. विक्री क्र. १३८९	मु. विक्री क्र. ५००८
Principal	Principal
श्री. Kadari Redekar College of Nursing (B.Sc. Nursing)	श्री. विष्णु संजय शिंदे
ता. रा. खेडे	ता. कोल्हापूर
Principal	श्री. प्रकाश एस. पाटील
Kadari Redekar College of Nursing (B.Sc. Nursing)	(मुद्रांक विक्रेता)
मुद्रांक घेणार स्वाक्षरी/अंगठा	कचेरी रोड न. पा. गाळा नं. ३५, गडहिंग्लज
मुद्रांक घेण्याचे कारण	परवाना क्र. मु. वि. अ. १/९६-९७
आधार नं. २९५२ ०२४४ ८८११	कोड क्र. २६०६००४



सदर मुद्रांक पक्षकार यांनी स्व:जबाबदारीवर घेतलेला आहे. त्याचा गैरवापर झाल्यास त्यास मुद्रांक विक्रेता जबाबदार राहणार नाही. ज्या कारणासाठी मुद्रांक खरेदी केला त्याच कारणासाठी मुद्रांक खरेदी केल्यापासून सहा महिन्यात वापरणे बंधनकारक आहे.



Notary Regl. Sr. No. 154/2025

Memorandum of Understanding (MOU)

Kedari Redekar College of Nursing, Gadhinglaj

Party No. 1

Dr. Sarita Kamate

Party No. 2

Party No. 1 is running Kedari Redekar College of Nursing for B. Sc. Nursing
Gadhinglaj

No. Of Corrections
on this page 1/1


Party No. 1 I requesting permission from Party No. 2 about their **30 beded** Hospital PIOS **Kamate Multispeciality Hospital and Research Centre, Gadhinglaj** for Clinical & Education Experience to Kedari Redekar College of Nursing Student as a Affiliated Hospital.

Party No. 2 has given permission letter for their **30 beded** Hospital PIOS Kedari Redekar College of Nursing as a Affiliated Hospital.

Dated : 10/02/2025.

Principal
Kedari Redekar College of
(B.Sc.Nursing)

MOU Written as above date



1) Mr. Prabhudeva S. K.
(Principal of Kedari Redekar College of Nursing,
Gadhinglaj)



2) Dr. Sarita Kamate
Kamate Multispeciality Hospital and Research Centre,
Gadhinglaj



Witnesses :-

1) Peavin Nareake *Peek*

2) *Riffthul B. Chindale*
So. Gadhinglaj *Riffthul*

No. Of Corrections
on this page 1/2

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0231-2652952
0231-2660448
Fax: 0231-2652952
Website: <http://mpcb.gov.in>
Email: rokolhapur@mpcb.gov.in

Maharashtra Pollution
Control Board, Udyog
Bhavan Building, Near
Collectorate Office,
Kolhapur - 416 002

ORANGE/

Date: 26/04/2023

No:- Format1.0/RO/UAN No.0000151106/CO/2304001801

To,
KAMATE MULTISPECIALITY HOSPITAL AND RESEARCH CENTER
CHURCH ROAD, GADHINGLAJ, KOLHAPUR
-416502
Email: kamatemhrc@gmail.com
Contact No.: 9075511898



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization dated 07/01/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order.


1. The Combine Consent to Operate for BMW Authorization is granted for a period up to : 30.11.2025

2. The capital investment of the HCF is ₹58.56 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 270.00 M² with Built-up area 258.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **30 Nos.** 4882021GAD
 - I. General Beds : **15 Nos**
 - II. ICU/ICU Beds : **5 Nos**
 - III. Operation Theatre : **5 Nos**
 - IV. Maternity Beds : **5 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 4 M /day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act, 1981:-**
 1. You shall use the fuel for DG set as specified in the **Annexure-II**.
 2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
 3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.
7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**
 You shall have valid membership of CHWTSDf and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category No.	Quantity	UOM	Disposal
NA					
8. **Conditions under Solid Waste Management rules 2016**
 1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
 2. You shall Not mix general solid waste with Bio Medical Waste.
9. **Conditions under BMW Management rules, 2016 (As Amended):-**
 1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **S.S. Services, Ichalkaranji** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCF in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities", (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.



Signed by: 
Regional Officer
In-charge of Sub-Region
Maharashtra Pollution Control Board
Kamata Multispeciality Hospital
26/04/2023 13:13:07

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	12000.00	TXN2211001982	16/11/2022	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



महाराष्ट्र शासन

जिल्हा शल्यचिकित्सक, कोल्हापूर

(सन १९४९ च्या दि. बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ऑक्ट्या कलम ५ अन्वये येथील रजिस्ट्रेशन सर्टिफिकेट)

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ऑक्ट., १९४९ अन्वये

नोंदणी प्रमाणपत्र

खं. श्री./श्रीमती सरिता हर्षल कर्ते

यांचे

कर्ते मल्होत्रेश्वरालिखी हॉस्पिटल अँड दिसचि सेंटर

येथील हॉस्पिटल/नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे हॉस्पिटल/नर्सिंग

होम/मॅटर्निटी होम चालविण्यास परवाना देणेत येत आहे. ☐ / पुननोंदणीस मान्यता देणेत

येत आहे. ☒

रजिस्ट्रेशन क्रमांक : ४८८/२०२४/२८८६५७ प्रसूतीसाठी कोंटस : ०५

रजिस्ट्रेशन दिनांक : १६/०४/२०२४ इतर रुग्णांसाठी कोंटस : २५

ठिकाण : कोल्हापूर

एकूण कोंटस : ३०

सर्टिफिकेट दिल्याचा दिनांक : ३९/४/२०२४

सदरचे सर्टिफिकेट दिनांक : ३१/०३/२०२४ पर्यंत कार्यवाहीत राहील.



बेटी बचाओ
save the girl child

जिल्हा शल्यचिकित्सक,
धनपती प्रमिलाराजे रत्नापवार
रुग्णालय, कोल्हापूर.

hosting functions of the college, educational conferences/ workshops, examinations etc. It should have proper stage with green room facilities. It should be well – ventilated and have proper lighting system. There should be arrangements for the use of all kinds of basic and advanced audio-visual aids.	Yes/No	
OR		
Multipurpose Hall:- College of Nursing should have own multipurpose hall		

	(VIII) Canteen and Kitchen Facility:- attached certificate [Note: Verify Canteen Facility & Hygiene is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes/No	Adequate
	(IX) Common Rooms: Is separate common rooms for boys and girls available (Specify seating capacity)	Yes/No	Adequate
3	University Examination Infrastructure: Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for vehicle, Guest house facility		
4	Other facilities: Hospital Waste Management, Medical Education Unit, Intercom Network, Playground, P.T Teacher or Instructor Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility	Yes/No	Adequate
5	Hostel facility: Boys (UG & PG), Girls (UG & PG), Interns, Residents, Warden/ Rector, Hygiene, Vending Machine etc.	Yes/No	Adequate
Hospital attach Relevant Document on web site			
6	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital : <u>Shri Siddhivinayak Multispecialist Hospital</u>	Yes/No	
	Address: <u>Azad Road, Gadhinglaj, Dist. Kolhapur</u>		
	Telephone No. :		
	Bed Strength : <u>15</u>		
	Distance of Hospital from the College to which it is attached (in kms) <u>03 km</u>		
	Number of beds registered as per BNH Act (attach certificate on web site)	Yes/No	
7	I. Total constructed area of Hospital Building as per MSR attach completion certificate and blue print (<u>1956</u> Sq.mtr. / Sq.ft.)	Yes/No	
	Whether the Hospital is Owned by the College	Yes/No	
	II. Hospital Administration Block as per MSR (Superintendent room, Deputy Superintendent room, Medical officers' room, Matron room, Assistant Matron room, Reception and Registration, etc.)	Yes/No	
	III. Out-Patient Departments (OPD) as per MSR Total Area of OPD ComplexSq.ft. No. of OPD's <u>135</u> Facilities shall be as per MSR & all details shall be on college website.	Yes/No	
	IV. In Patient Departments (IPD) as per MSR Total Area of IPD ComplexSq.ft. No. of IPD Departments..... Bed Distribution..... Facilities shall be as per MSR & all details shall be on College website.	Yes/No	
	V. Operation Theatres Block as per MSR Total Area of OT Blocksq.ft. No. Of OTs available <u>01</u> Facilities shall be as per MSR & all details shall be on college website.	Yes/No	
	VI. Casualty Facilities State Government Permission Letter attach copy on web site	Yes/No	
	VII. Central Clinical Laboratory details (all Relevant information on hospital letter head to be uploaded on web site) Well-equipped with separate sections for Pathology, Biochemistry and Microbiology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be Provided.	Yes/No	

Chairman of LIC

Member Of LIC

Member Of LIC

141 / 2025



महाराष्ट्र MAHARASHTRA

2023

CP 638252



विक्री नं. 141/2025 किंमत रु. 500 पेकी रु. 500/-

श्री./सौ. --- Principal ---

Kedari Redekar College of


Nursing (B.Sc. Nursing) --- जि. ---

श्री. नारायण केशव वेदादे

मुद्रांक विक्रेता, पंचायत समिती, तपार, गडहिंगलज

पत्रांक क्र. मु.वि.अ. 38/99 दि. 23/01/2025

कोड नं. 2406000



श्री. नारायण केशव वेदादे
मुद्रांक विक्रेता, पंचायत समिती, तपार, गडहिंगलज
पत्रांक क्र. मु.वि.अ. 38/99 दि. 23/01/2025
कोड नं. 2406000

Notary Regi. Sr. No. 141 / 2025



Memorandum of Understanding (MOU)

Kedari Redekar College of Nursing, Gadhinglaj

Party No. 1

Dr. Amol Jadhav

Party No. 2

Party No. 1 is running Kedari Redekar College of Nursing for B. Sc. Nursing
Gadhinglaj

No. of Corrections
on this page 141

2



Party No. 1 I requesting permission from Party No. 2 about their **15 bedded** Hospital PIOS **Shri Siddhivinayak Multispecialist Hospital, Gadhinglaj** for Clinical & Education Experience to Kedari Redekar College of Nursing Student as a Affiliated Hospital.

Party No. 2 has given permission letter for their **15 bedded** Hospital PIOS Kedari Redekar College of Nursing as a Affiliated Hospital.

Dated : 07/02/2025.

MOU Written as above date


ipal
ar College of
Sc.Nursing)

Principal
Kedari Redekar College of
Nursing (B.Sc.Nursing)

1) Mr. Prabhudeva S. K.
(Principal of Kedari Redekar College of Nursing,
Gadhinglaj)



2) Dr. Amol Jadhav
Shri Siddhivinayak Multispecialist Hospital, Gadhinglaj



Witnesses :-

1) Pravin Gundu Norake

2) Nitthal Bhangar shinde
of Gadhinglaj Tal Gadhinglaj

No. of Corrections
on this page



महाराष्ट्र शासन

जिल्हा शल्यचिकित्सक, कोल्हापूर

(सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अँक्टचा कलम ५ अन्वये दिलेलं रजिस्ट्रेशन सर्टिफिकेट)

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अँक्ट, १९४९ अन्वये

नोंदणी प्रमाणपत्र

डॉ. भी./श्रीमती अमोबा रावसाहेब जाधव यांचे

श्री सिद्धातिनाथ मठोपेक्षायेती हॉस्पिटल गडहिंग्लज

येथील हॉस्पिटल/नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे हॉस्पिटल/नर्सिंग

होम/मॅटर्निटी होम चालविण्यास परवाना देणेत येत आहे. ☒ पुर्ननोंदणीस मान्यता देणेत

येत आहे. ☐


रजिस्ट्रेशन क्रमांक : 548/2024/गडहिंग्लज प्रसूतीसाठी कॉट्स : 05

रजिस्ट्रेशन दिनांक : 11/10/2024 इतर रुग्णासाठी कॉट्स : 10

ठिकाण : कोल्हापूर एकूण कॉट्स : 15

सर्टिफिकेट दिल्याचा दिनांक : 04/11/2024

सदरचे सर्टिफिकेट दिनांक : ३१/०३/२०२७ पर्यंत कार्यवाहीत राहील.



वेदिका
जिल्हा शल्यचिकित्सक,
छत्रपती-प्रमिलाराजे सर्वोपचार
रुग्णालय, कोल्हापूर.



गडहिंगलज नगरपरिषद गडहिंगलज
ता. गडहिंगलज, जि. कोल्हापूर- ४९६ ५०२



E-mail:- cogmcg@gmail.com
Phone:- 02327-222245

Facebook Page:- Gadhinglaj Nagarpal
Toll Free No :- 18002331218

जा.क्र. - गड.न.प./आवि/ १८ /२०२४
बाचा १ डॉ.अमोल रावसाहेब जाधव, गडहिंगलज वार्ड क्र १३, झोन १ जुना मालमत्ता क्र GADH00006902
नवीन मालमत्ता क्र 13000141,1338 , सिटी सर्व्हे नं २२४३ आझाद रोड गडहिंगलज यांचा दि. १६/०८/२०२४ चा अर्ज.

व्यवसाय अनुज्ञेय दाखला .

- तुमचा दि. १६/०८/२०२४ च्या अर्जास जोडलेल्या कागदपत्राचा विचार करून सोबत जोडलेल्या जागेमधील, वार्ड क्र १३, झोन १ जुना मालमत्ता क्र GADH00006902 नवीन मालमत्ता क्र 13000141,1338 सिटी सर्व्हे नं २२४३ , आझाद रोड जागेमध्ये "श्री.सिद्धिविनायक मल्टीस्पेशालीटी हॉस्पिटल " या नावाने मल्टीस्पेशालीटी हॉस्पिटल हा व्यवसाय सुरु करणेसाठी व्यवसाय अनुज्ञेय दाखला देणेत येत आहे.
- 1) गडहिंगलज नगरपरिषद हद्दीमध्ये वार्ड क्र १३, झोन १ जुना मालमत्ता क्र GADH00006902 नवीन मालमत्ता क्र 13000141,1338 सिटी सर्व्हे नं २२४३ , आझाद रोड या जागेमध्ये "श्री.सिद्धिविनायक मल्टीस्पेशालीटी हॉस्पिटल " या नावाने मल्टीस्पेशालीटी हॉस्पिटल सुरु केलेनंतर शेजारील नागरिकांना त्रास होणार नाही याची दक्षता घेणे बंधनकारक आहे.
 - 2) "श्री.सिद्धिविनायक मल्टीस्पेशालीटी हॉस्पिटल" या नावाने मल्टीस्पेशालीटी हॉस्पिटल अर्जासोबत जोडलेल्या नकाशातील दर्शविलेल्या जागेमध्येच करणे परवानाधारक यांचेवर बंधनकारक राहील.
 - 3) सदरच्या व्यवसायाबाबत शेजारील नागरिकांची कोणत्याही प्रकारची हरकत अगर तक्रार आल्यास तुम्हास सदर व्यवसाय बंद करणे बंधनकारक आहे.
 - 4) इकडील अधिकारबाह्य बाबींची पूर्तता करणेची झाल्यास व्यवसाय अनुज्ञेय दाखला बंधनकारक राहणार नाही.
 - 5) सदर व्यवसायाचा बोर्ड मराठी भाषेतून लावणे , व सदर बोर्डावर संपूर्ण पत्ता , संपर्क नंबर (मोबाईल नंबर) घालणे आवश्यक आहे.
 - 6) दाट लोकवस्तीच्या कारणामुळे सदरचा व्यवसाय बंद करणेबाबत नगरपरिषदेने तुम्हास कळविलेस सदरचा व्यवसाय बंद करणे बंधनकारक आहे.
 - 7) वेस्ट मटेरियल (Bio- Medical) नगरपरिषदेच्या सुचनेप्रमाणे निर्गत करणेचे आहे हे करत असताना कोणत्याही प्रकारचा उपद्रव होणार नाही याची खबरदारी बंधनकारक आहे.
 - 8) सदरच्या व्यवसाय अनुज्ञेय दाखल्याप्रमाणे व्यवसाय सुरु केलेली तारीख व्यवसाय सुरु झालेपासून ७ दिवसाच्या आत इकडे लेखी कळविणे बंधनकारक आहे.
 - 9) सदरील व्यवसायासाठी आवश्यक त्या सर्व प्रधिकरणाची मंजुरी घेणे आपणावर बंधनकारक राहील.
 - 10) सदरचा व्यवसाय रात्री ९ ते सकाळी ७ या वेळेत बंद ठेवणेचा आहे.
 - 11) सदर दाखल्याची मुदत दि.३१.३.२०२५ अखेर राहील तदनंतर सदरचा दाखला आवश्यक कागदपत्रासह नूतनीकरण करून घेणे बंधनकारक राहील .
 - 12) महाराष्ट्र नगरपरिषदा , नगरपंचायती अधिनियम १९६५ व महाराष्ट्र प्रादेशिक नियोजन व नगर रचना अधिनियम 1966 च्या सर्व संबंधित तरतुदी आपणावर बंधनकारक राहतील .



कोल्हापूर महानगरपालिका

पोस्ट बॉक्स नं. ३३, पिन कोड नं. - ४१६ ००२.
फोन नं.-पी.बी.एक्स. बॉर्ड २५४०२९१ ते २५४०२९८



जावक क्र.- अग्निशमन विभाग / वशि-१/ ३११ /२०२४-२५

दि.: २२/०७/२०२४

प्रति,

डॉ.अमोल रावसाहेब जाधव

गडहिंग्लज, जि.कोल्हापूर

विषय :- डॉ.अमोल रावसाहेब जाधव,सि.स.नं.२२४३,आझाद रोड, गडहिंग्लज, ता.गडहिंग्लज, जि.कोल्हापूर यांचे १५ बेंड श्री सिद्धीविनायक मल्टीस्पेशलिटी हॉस्पिटल करीता अग्निशमन विभागाचा ना-हरकत दाखला बाबत...

संदर्भ :- १. संचालक, महाराष्ट्र अग्निशमन सेवा संचालनालय यांचा आदेश दि.२७/०७/२०२१

२. कोहिनूर सेफ्टी सर्विसेस यांचा दि. २२/०७/२०२४ चा बी फॉर्म लायसन

नं. MFS- LA/RF-10/RD-10



उपरोक्त विषयांकीत कामी संदर्भित पत्रान्वये डॉ.अमोल रावसाहेब जाधव,सि.स.नं.२२४३,आझाद रोड, गडहिंग्लज, ता.गडहिंग्लज, जि.कोल्हापूर यांचे १५ बेंड श्री सिद्धीविनायक मल्टीस्पेशलिटी हॉस्पिटल करीता मध्ये बसविणेत आलेल्या अग्निप्रतिबंधक सुविधा दुरुस्त आणि कार्यक्षम स्थितीत असलेबाबत अग्निशमन विभागाचा ना-हरकत दाखला मागणी केलेला आहे.

उपरोक्त ठिकाणी संचालक, महाराष्ट्र राज्य अग्निशमन सेवा संचालनालय यांनी दिलेल्या आदेशाने महाराष्ट्र आग प्रतिबंधक व जीव संरक्षक उपाययोजना २००६ भाग ४ नुसार आपल्या हॉस्पिटल मध्ये बसवण्यात आलेली अग्निशमन सुविधांची कोल्हापूर महानगरपालिका अग्निशमन विभागाने तपासणी केली असून कोहिनूर सेफ्टी सर्विसेस यांचा दि. २२/०७/२०२४ चा बी फॉर्म लायसन नं. MFS- LA/RF-10/RD-10 प्रमाणे १.) ए.बी.सी- ३ नग, २) पंप- ३ एच.पी. ३) होजरील - १ नग, ४) फायर इनलेट टु वे -१, बसवलेली आहे. सदर यंत्रणा आज मितीला कार्यक्षम व सुर्यतीतीत असले बाबत नमुद केले असल्याने त्यांना इकडील विभागा कडुन ना-हरकत दाखला देण्यात येत आहे. सदरचा दाखला हा केवळ मुंबई शुश्रूषा गृह नोंदणी साठी वापरण्याचा आहे.

महाराष्ट्र आग प्रतिबंधक व जीव संरक्षक उपाययोजना २००६ भाग ४ मधिल कलम ३ (पोट कलम ३) नुसार सदरची यंत्रणा सुर्यतीतीत व कार्यसन असले बाबत मान्यताप्राप्त लायसन एजन्सी यांचा बी फॉर्म वर्षातून दोन वेळा म्हणजे जानेवारी व जुलै महीन्यात सादर करण्याचा आहे अन्यथा सदरचा ना-हरकत दाखला रद्द समजण्यात येईल. सदरचा दाखला एक वर्षाचे मुदतीकरिता देण्यात येत आहे १५ बेंड हॉस्पिटल परवानाकामी आग सुरक्षा निधी GD 2002133202403337 रक्कम ६,०५०/- रुपये दिनांक २२/०७/२०२४ रोजी भरण्यात आले आहे.

मुख्य अग्निशमन अधिकारी

कोल्हापूर महानगरपालिका



DATE REC'D

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

[illegible]

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

Case No.	Case Name	Case Type	Case Status	Case Date	Case Time	Case Location	Case Description	Case Action	Case Result	Case Comment
1	Case 1	Case 1 Type	Case 1 Status	Case 1 Date	Case 1 Time	Case 1 Location	Case 1 Description	Case 1 Action	Case 1 Result	Case 1 Comment
2	Case 2	Case 2 Type	Case 2 Status	Case 2 Date	Case 2 Time	Case 2 Location	Case 2 Description	Case 2 Action	Case 2 Result	Case 2 Comment
3	Case 3	Case 3 Type	Case 3 Status	Case 3 Date	Case 3 Time	Case 3 Location	Case 3 Description	Case 3 Action	Case 3 Result	Case 3 Comment
4	Case 4	Case 4 Type	Case 4 Status	Case 4 Date	Case 4 Time	Case 4 Location	Case 4 Description	Case 4 Action	Case 4 Result	Case 4 Comment
5	Case 5	Case 5 Type	Case 5 Status	Case 5 Date	Case 5 Time	Case 5 Location	Case 5 Description	Case 5 Action	Case 5 Result	Case 5 Comment
6	Case 6	Case 6 Type	Case 6 Status	Case 6 Date	Case 6 Time	Case 6 Location	Case 6 Description	Case 6 Action	Case 6 Result	Case 6 Comment
7	Case 7	Case 7 Type	Case 7 Status	Case 7 Date	Case 7 Time	Case 7 Location	Case 7 Description	Case 7 Action	Case 7 Result	Case 7 Comment
8	Case 8	Case 8 Type	Case 8 Status	Case 8 Date	Case 8 Time	Case 8 Location	Case 8 Description	Case 8 Action	Case 8 Result	Case 8 Comment
9	Case 9	Case 9 Type	Case 9 Status	Case 9 Date	Case 9 Time	Case 9 Location	Case 9 Description	Case 9 Action	Case 9 Result	Case 9 Comment
10	Case 10	Case 10 Type	Case 10 Status	Case 10 Date	Case 10 Time	Case 10 Location	Case 10 Description	Case 10 Action	Case 10 Result	Case 10 Comment



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

[illegible]

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

[illegible]

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

[illegible][illegible][illegible][illegible][illegible][illegible]

दि. १३/१२/२०२४

प्रति,
मा. उप प्रादेशिक अधिकारीसो,
महाराष्ट्र प्रदूषण नियंत्रण मंडळ,
कोल्हापूर

विषय : त्रुटीच्या पत्रादाखल उत्तर.

अर्जदार : डॉ. अमोल जाधव,
सिद्धिविनायक मल्टीस्पेशलिटी हॉस्पिटल,
आझाद रोड, गडहिंग्लज.

संदर्भ : दि. ८ डिसेंबर रोजी प्राप्त आपले पत्र.

महोदय,

वरील संदर्भीय विषयास अनुसरून खालील प्रमाणे त्रुटींची पूर्तता करीत आहे.

मी वरील पत्त्यावर रुग्णालय सुरु केले आहे. रुग्णालयासाठी मी तयार बिल्डींग विकत घेतली असून तयार असणाऱ्या हॉल मध्ये काही ठिकाणी पार्टिशन करून ओपीडी, आय पी डी असे वार्ड तयार केले आहेत. सदर इंटेरियर चे काम आपणास अर्ज केलेपासून फक्त १५ दिवसात पूर्ण झाले आहे. सबब मी CTE साठी अर्ज केला व हाच अर्ज CTO असा गृहीत धरणेत यावा अशी विनंती पत्र आपणास सादर केले आहे.


डायरेक्ट CTO साठी अर्ज करताना CTE ची अतिरिक्त फी रु. ५०००/- पोर्टल वर जमा करीत आहे.

सबब, माझा अर्ज गृहीत धरणेत यावा व मला CTO प्रमाणपत्र मिळावे ही विनंती.

आभारी आहोत,



आपला विश्वासु


डॉ. अमोल जाधव

Dr. Amol B. Jadhav

Reg No 100154 A